

Work Order ID 146182

Tuesday, May 10, 2016 10:32:42 AM

146182

Page 1

Item ID: D3691-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Stud Assembly
 Start Date: 5/11/2016 Start Qty: 3.00 ***3*** Cust Item ID:
 Required Date: 5/16/2016 Req'd Qty: 3.00 ***3*** Customer:
 Reference:

Approvals: Process Plan: dm Date: 16/05/16 Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3691	E

100	Pick Kit	0.00							
100									
Packaging	Memo	0.00							
Packaging									

DAS
19
9-89

110	Small Fab	0.00							
110									
Small Fab	Memo	1.14							
Small Fab									

DAS
19
9-89

1-Align the pilot holes in mating parts. Drill out each hole using pilot drill and ream each hole using a step reamer. Clean and deburr all holes prior to assembly as per dwg. (SEE NOTE 8)

AFTER FINISH DRILLIN AND REAMING PARTS MUST STAY TOGETHER. DO NOT MIXE THEM UP

2-Assemble D3693-1 with D3691-1 Using Hysol EA934NA or MAGNOBOND 6398 adhesive between mating surfaces as per Dwg D3684

3 Ø 17-1-25

3 Ø 17-1-25

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐						OTHER : _____	

Work Order ID 146182

Tuesday, May 10, 2016 10:32:42 AM

146182

Page 2

Item ID: D3691-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Stud Assembly

Start Date: 5/11/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 5/16/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC5- Inspect part completeness to step on W/O	0.00							
120									
QC	Memo	0.06				3			DAS 38 JAN 25 2017
Quality Control									
130	Identify as per dwg & Stock Location: _____	0.00							
130									
Packaging	Memo	0.03				3	DAS 6 9-89		JAN 27 2017
Packaging	LOCATION : GA								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.30							17/01/30
Quality Control									

DAS
21
9-89

JAN 27 2017

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : _____			

Tuesday, May 10, 2016 10:32:52 AM

Work Order ID: 146182

146182

Parent Item: D3691-041

D3691-041

Parent Item Name: Stud Assembly

Start Date: 5/11/2016

Required Date: 5/16/2016

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP REV:A 13.01.24 PER ECN12-693 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3691-1 *D3691-1* Stud		Manufactured	No				Each	1.0000		3			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST231a		1							
				127751		1							
				141392 3x			Each	25.0000		3			
D3693-1 *D3693-1* Rod End Bearing		Manufactured	No				Each	25.0000		3			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				GA		25							
				141289		5							
				141392		20							
HL32PB8-14 *HI 32PB8-14* Replacement Hi-Lok Pin		Purchased	No				Each	107.0000		6			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST562		107							
				m128454		67							
				m134180		40							
HL86-8 *HI 86-8* Collar		Purchased	No				Each	102.0000		6			
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST562		102							
				m131803		82							
				m134180		20							

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

ITEM	QTY -041	P/N	DESCRIPTION
1	X	D3691-041	STUD ASSEMBLY
2	1	D3691-1	STUD
3	1	D3693-1	ROD END BEARING
4	2	HL32PB8-14	HI-LOK PIN
5	2	HL86-8	HI-LOK COLLAR



D3691-041 STUD ASSEMBLY


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.04 lbs
- 8) ALIGN THE PILOT HOLES IN D3693-1 WITH PILOT HOLES IN D3691-1. ENLARGE EACH HOLE USING A P/N 13-420 PILOTED DRILL (0.2314 DIA./0.2158 PILOT). REAM EACH HOLE USING A P/N 44-300 STEP REAMER (0.247 DIA./0.2314 PILOT). CLEAN AND DEBURR ALL HOLES PRIOR TO ASSEMBLY.
- 9) ASSEMBLE D3693-1 WITH D3691-1 USING HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE BETWEEN MATING SURFACES.



E	ADD -041 STUD ASSEMBLY, ASSEMBLY INSTRUCTIONS (ZN A8-1, ZN B6-1, ZN D7-1). Ø0.218 WAS Ø0.189 (ZN D2-2, D4-2). Ø0.623 WAS Ø0.625 (ZN D7-2). RE-FORMAT NOTES SECTION AS PER QSI 043 (ZN A5-1). REF NCR 12-2074	DB	12.12.07
D	7.825 WAS 7.750 (ZN C4-1)	RF	10.03.03
C	0.20 WAS 0.16 & CENTER DRILL #4 WAS CENTER DRILL #2 (ZN B6-1); UPDATE NOTE 8 TO REF QSI (ZN A8-1)	RF	09.09.09
B	CHANGE TO 17-4PH H-900 (ZN A8-1); Ø0.695 WAS Ø0.665 (ZN D6-1); REFORMATTED TO CURRENT DWG STANDARDS	RF	06.11.24
A	NEW ISSUE	RF	06.03.12
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DB		
CHECKED	MB	DRAWING NO.	REV. E
MFG. APPR.	JLM	D3691	SHEET 1 OF 2
APPROVED	WMD	TITLE	SCALE
DE APPR.	WMD	STUD	NTS
DATE	12.12.07	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS UNCLASSIFIED AND CONFIDENTIAL. NO REPRODUCTION OR DISSEMINATION OF THIS DOCUMENT IS PERMITTED FOR ANY PURPOSE OR COMMUNICATION TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

w/o 146182


28m 16/05/10



DETAIL B C5-2
SCALE 1:1



SECTION A-A B4-2



NOTES:

- 1) MATERIAL: 17-4PH STAINLESS STEEL ROUND BAR PER AMS 5643 H-900 CONDITION
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.80 lb
- 8) LPI PER QSI 038 4.1.1 (ASTM E1417 LEVEL 2)

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	DB	HAWKESBURY, ONTARIO, CANADA	
CHECKED	MB	DRAWING NO.	REV. E
MFG. APPR.	JLM	D3691	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		STUD	NTS
DATE	12.12.07	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2013-07-22
WJ